

固捷五金梁托尺寸表

单位: mm , 点击图片可直达产品页面。

外观	型号	厚度	适用木材厚度	连接件高度
	JUS-18910	1	89	100
	JUS-38D	2	38	89
	JUS-38A	2	38	135
	JUS-38C	2	38	151
	JUS-38B	2	38	194
	JUS-45A	2	45	94
	JUS-50B	2	50	92
	JUS-50A	2	50	137

 <p>WWW.MML.COM.CN</p>	JUS-60C	2	60	141
 <p>WWW.MML.COM.CN</p>	JUS-70A	2	70	94
 <p>WWW.MML.COM.CN</p>	JUS-76C	2	76	140
 <p>WWW.MML.COM.CN</p>	JUS-76A	2	76	175
 <p>WWW.MML.COM.CN</p>	JUS-76AI	2	76	175
 <p>WWW.MML.COM.CN</p>	JUS-76B	2	76	200
 <p>WWW.MML.COM.CN</p>	JUS-89B	2	89	127
 <p>WWW.MML.COM.CN</p>	JUS-89A	2	89	170
 <p>WWW.MML.COM.CN</p>	JUS-89AI	2	89	170

	JUS-1213	2	120	130
	JUS-1218	2	120	180
	JUS-1222	2	120	220
	JUS-51030	5	100	300
	JUS-51430	5	140	300
	JUS-51438	5	140	350
	JUS-51445	5	140	430
	JUS-51618	5	160	175